

Code No: 181AN

JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY HYDERABAD

B. Tech I Year I Semester Examinations, January/February - 2024

MATRICES AND CALCULUS

(Common to CE, ME, ECE, EIE, AE, MIE, CSE (AI&ML), CSE(IOT), AI&DS, AI&ML)

Time: 3 Hours

Max. Marks: 60

Note: This question paper contains two parts A and B.

i) Part- A for 10 marks, ii) Part - B for 50 marks.

- Part-A is a compulsory question which consists of ten sub-questions from all units carrying equal marks.
- Part-B consists of ten questions (numbered from 2 to 11) carrying 10 marks each. From each unit, there are two questions and the student should answer one of them. Hence, the student should answer five questions from Part-B.

PART - A

(10 Marks)

- 1.a) Write the row elementary transformations on a matrix. [1]
- b) State the conditions for the existence of solution of $AX=B$. [1]
- c) Define the Eigenvalues and Eigenvectors of a matrix A. [1]
- d) What is meant by index of a quadratic form? [1]
- e) Is $f(x) = |x|$ in $[-1, 1]$ differentiable. [1]
- f) State Rolle's Mean value theorem. [1]
- g) When we say the function is homogeneous? [1]
- h) Write the relation between Gamma and Beta functions. [1]
- i) Change the order of integral in $\int_0^{\infty} \int_0^{\infty} \frac{e^{-xy}}{y} dy dx$. [1]
- j) Is $\int_0^1 \int_1^2 \int_2^3 dx dy dz = \int_0^1 \int_1^2 \int_2^3 dz dy dx$? [1]

PART-B

(50 Marks)

2. Reduce the following matrix $A = \begin{bmatrix} 2 & 1 & 3 & 4 \\ 0 & 3 & 4 & 1 \\ 2 & 3 & 7 & 5 \\ 2 & 3 & 11 & 6 \end{bmatrix}$ to the (a) Echelon form, (b) Normal form and hence find its rank. [5+5]

OR

3. Using the Gauss-Seidel iteration method, solve the system of equations:
 $4x_1 + x_2 + x_3 = 2$, $x_1 + 5x_2 + 2x_3 = -6$, $x_1 + 2x_2 + 3x_3 = -4$. [10]

4. Verify Cayley-Hamilton theorem for $A = \begin{bmatrix} 2 & 1 & 1 \\ 0 & 1 & 0 \\ 1 & 1 & 2 \end{bmatrix}$ and hence find A^{-1} and $A^8 - 11A^7 - 4A^6 + A^5 + A^4 - 11A^3 - 3A^2 + 2A + I$. [10]

OR



5. Reduce the quadratic form $x^2 + 3y^2 + 3z^2 - 2yz$ to the canonical form. Hence find its rank, nature, index and signature. [10]

6.a) If $f(x) = \log x$ and $g(x) = x^2$ in $[a, b]$ with $1 < a < b$ using Cauchy's mean value theorem, prove or disprove that $\frac{\log b - \log a}{b - a} = \frac{a + b}{2c^2}$ for $a < c < b$.

- b) Evaluate the Taylor series expansion of $f(x) = \tan^{-1} x$ about $x = 0$. [4+6]

OR

7. Determine the following

a) $\int_a^1 x^4 \left[\ln \left(\frac{1}{x} \right) \right]^3 dx$.

b) $\int_0^{\pi/2} (\sqrt{\tan \theta} + \sqrt{\sec \theta}) d\theta$. [5+5]

- 8.a) If $xz + yz - x^2 - y^2 = 0$, then show that $\left(\frac{\partial z}{\partial x} - \frac{\partial z}{\partial y} \right)^2 = 4 \left(1 - \frac{\partial z}{\partial x} - \frac{\partial z}{\partial y} \right)$.

b) Given that $y_1 = \frac{x_2 x_3}{x_1}$, $y_2 = \frac{x_3 x_1}{x_2}$, $y_3 = \frac{x_1 x_2}{x_3}$. Show that $\frac{\partial(y_1, y_2, y_3)}{\partial(x_1, x_2, x_3)} = 4$. [5+5]

OR

9. Discuss the maxima and minima of $x^3 y^2 (1 - x - y)$. [10]

10.a) Compute the double integral $\iint_D (x^2 + y^2) dx dy$, where D is bounded by $y = x$ and $y^2 = 4x$.

- b) Evaluate $\int_0^a \int_y^a \frac{x}{x^2 + y^2} dx dy$ by transforming into polar coordinates. [4+6]

OR

11.a) Obtain the value of $\int_0^2 \int_0^z \int_0^{yz} x y z dx dy dz$.

- b) Determine the triple integral $\iiint xyz dx dy dz$ taken through the positive octant of the sphere $x^2 + y^2 + z^2 = a^2$, where a is a constant. [3+7]

--ooOoo--

